

PERANO® Standard Wall Mount Enclosures - MILD STEEL

Valid from 1 March 2023 to 29 February 2024

Mild Steel - IP65 - NO GLAND PLATE - Colour: Orange or Grey (RAL7032)

Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door	Canopy	Chassis Plate *	Gland Plate	SS Pole Mount Bracket	SS Wall Mount Bracket
200 O	200 G	175	250	170	3	1.2	1	R970	R270	n/a	n/a	n/a	R220	n/a	n/a	R200
201 O	201 G	350	250	170	6	1.2	1	R1 140	R320	n/a	n/a	R200	R260	n/a	R720	R200
202 O	202 G	450	300	220	9	1.2	1	R1 400	R400	R260	R520	R250	R300	n/a	R740	R200
203 O	203 G	550	400	220	13	1.2	1	R1 770	R490	R300	R730	R310	R410	n/a	R790	R200
204 O	204 G	650	450	270	17	1.2	2	R2 100	R590	R520	R850	R360	R500	n/a	R800	R200
205 O	205 G	750	550	270	27	1.6	2	R2 720	R760	R700	R1 040	R470	R610	n/a	R830	R200
205A O	205A G	850	650	270	35	1.6	2	R3 190	R890	R1 290	R1 330	R560	R790	n/a	R890	R200
206 O	206 G	950	700	270	41	1.6	2	R3 520	R980	R1 680	R1 670	R620	R940	n/a	R920	R200
207 O	207 G	1150	850	270	56	1.6	2	R4 480	R1 250	R2 000	R1 800	R780	R1 200	n/a	R970	R200

Mild Steel - IP66 - WITH GLAND PLATE - Colour: Orange or Grey (RAL7032)

Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket
101 O	101 G	350	250	170	6	1.2	1	R1 280	R320	n/a	n/a	R200	R260	R140	R720	R200
102 O	102 G	450	300	220	9	1.2	1	R1 590	R400	R260	R520	R250	R300	R170	R740	R200
103 O	103 G	550	400	220	13	1.2	1	R1 980	R490	R300	R730	R310	R410	R210	R790	R200
104 O	104 G	650	450	270	17	1.2	2	R2 330	R590	R520	R850	R360	R500	R260	R800	R200
105 O	105 G	750	550	270	27	1.6	2	R3 020	R760	R700	R1 040	R470	R610	R330	R820	R200
105A O	105A G	850	650	270	35	1.6	2	R3 510	R890	R1 290	R1 330	R560	R790	R390	R890	R200
106 O	106 G	950	700	270	41	1.6	2	R3 870	R980	R1 680	R1 670	R620	R940	R430	R920	R200
107 O	107 G	1150	850	270	56	1.6	2	R4 860	R1 250	R2 000	R1 800	R780	R1 200	R540	R970	R200

* Complete Enclosure includes: Door, Chassis Plate and Gland Plate (where applicable)

Doors and Gland Plates include a Polyurethane Gasket

Chassis Plate - 2mm AluZinc

Prices exclude VAT

PERANO[®] Standard Wall Mount Enclosures - 3CR12 (ferritic stainless steel)

Valid from 1 March 2023 to 29 February 2024

3CR12 - IP65 - NO GLAND PLATE - Colour: Orange or Grey (RAL7032)

Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate	SS Pole Mount Bracket	SS Wall Mount Bracket
ME551 O	ME551 G	350	250	170	6	1.2	1	R1 380	R390	n/a	n/a	R250	R270	n/a	R720	R200
ME552 O	ME552 G	400	300	220	8	1.2	1	R1 650	R460	R250	R510	R290	R300	n/a	R740	R200
ME553 O	ME553 G	500	400	220	11	1.2	1	R2 040	R570	R280	R760	R370	R390	n/a	R790	R200
ME554 O	ME554 G	600	400	220	14	1.2	2	R2 210	R620	R450	R850	R370	R480	n/a	R790	R200
ME555 O	ME555 G	600	500	220	16	1.2	2	R2 450	R680	R670	R910	R430	R560	n/a	R810	R200
ME556 O	ME556 G	700	600	270	26	1.5	2	R3 490	R970	R770	R1 100	R610	R670	n/a	R850	R200
ME557 O	ME557 G	800	600	270	29	1.5	2	R3 770	R1 060	R1 400	R1 230	R660	R780	n/a	R850	R200
ME558 O	ME558 G	900	700	320	38	1.5	2	R4 790	R1 340	R1 590	R1 470	R830	R910	n/a	R920	R200
ME559 O	ME559 G	1000	800	320	47	1.5	2	R6 000	R1 680	R1 830	R1 700	R1 050	R1 140	n/a	R950	R200

3CR12 - IP66 - WITH GLAND PLATE - Colour: Orange or Grey (RAL7032)

Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket
ME651 O	ME651 G	350	250	170	6	1.2	1	R1 730	R390	n/a	n/a	R250	R270	R190	R720	R200
ME652 O	ME652 G	400	300	220	8	1.2	1	R2 010	R460	R250	R510	R290	R300	R220	R740	R200
ME653 O	ME653 G	500	400	220	11	1.2	1	R2 400	R570	R280	R760	R370	R390	R270	R790	R200
ME654 O	ME654 G	600	400	220	14	1.2	2	R2 560	R620	R450	R850	R370	R480	R280	R790	R200
ME655 O	ME655 G	600	500	220	16	1.2	2	R2 790	R680	R670	R910	R430	R560	R310	R810	R200
ME656 O	ME656 G	700	600	270	26	1.5	2	R3 840	R970	R770	R1 100	R610	R670	R420	R850	R200
ME657 O	ME657 G	800	600	270	29	1.5	2	R4 110	R1 060	R1 400	R1 230	R660	R780	R450	R850	R200
ME658 O	ME658 G	900	700	320	38	1.5	2	R5 520	R1 340	R1 590	R1 470	R830	R910	R610	R920	R200
ME659 O	ME659 G	1000	800	320	47	1.5	2	R6 640	R1 680	R1 830	R1 700	R1 050	R1 140	R730	R950	R200

* Complete Enclosure includes: Door, Chassis Plate and Gland Plate (where applicable)

Doors and Gland Plates include a Polyurethane Gasket

Chassis Plate - 2mm AluZinc

Prices exclude VAT

PERANO[®] Standard Wall Mount Enclosures - STAINLESS STEEL 304

Valid from 1 March 2023 to 29 February 2024

Stainless Steel 304 - IP66 - Colour: Orange or Grey (RAL7032)																
Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket
ME3041 O	ME3041 G	350	250	170	6	1.2	1	R1 890	R540	n/a	n/a	R330	R270	R200	R720	R200
ME3042 O	ME3042 G	400	300	220	8	1.2	1	R2 320	R650	R250	R510	R410	R300	R260	R740	R200
ME3043 O	ME3043 G	500	400	220	11	1.2	1	R2 840	R790	R280	R760	R550	R390	R310	R790	R200
ME3044 O	ME3044 G	600	400	220	14	1.2	2	R3 330	R930	R450	R850	R550	R480	R360	R790	R200
ME3045 O	ME3045 G	600	500	220	16	1.2	2	R4 720	R1 320	R670	R910	R820	R560	R520	R810	R200
ME3046 O	ME3046 G	700	600	270	26	1.5	2	R6 400	R1 790	R770	R1 100	R1 120	R670	R710	R850	R200
ME3047 O	ME3047 G	800	600	270	29	1.5	2	R6 910	R1 940	R1 400	R1 230	R1 210	R780	R760	R850	R200
ME3048 O	ME3048 G	900	700	320	38	1.5	2	R9 260	R2 590	R1 590	R1 470	R1 620	R910	R1 020	R920	R200
ME3049 O	ME3049 G	1000	800	320	47	1.5	2	R11 570	R3 240	R1 830	R1 700	R2 020	R1 140	R1 270	R950	R200

Stainless Steel 304 - IP66 - Brushed Finish (Natural)																
Product Code (Brushed)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories								
								Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket	
ME3041 B	350	250	170	6	1.2	1	R2 470	R700	n/a	n/a	R430	R270	R270	R720	R200	
ME3042 B	400	300	220	8	1.2	1	R2 960	R830	R250	R510	R510	R300	R320	R740	R200	
ME3043 B	500	400	220	11	1.2	1	R3 610	R1 010	R280	R760	R650	R390	R400	R790	R200	
ME3044 B	600	400	220	14	1.2	2	R3 910	R1 090	R450	R850	R650	R480	R430	R790	R200	
ME3045 B	600	500	220	16	1.2	2	R5 550	R1 550	R670	R910	R970	R560	R610	R810	R200	
ME3046 B	700	600	270	26	1.5	2	R7 460	R2 090	R770	R1 100	R1 310	R670	R820	R850	R200	
ME3047 B	800	600	270	29	1.5	2	R8 000	R2 240	R1 400	R1 230	R1 400	R780	R880	R850	R200	
ME3048 B	900	700	320	38	1.5	2	R10 660	R2 990	R1 590	R1 470	R1 860	R910	R1 180	R920	R200	
ME3049 B	1000	800	320	47	1.5	2	R13 470	R3 780	R1 830	R1 700	R2 350	R1 140	R1 480	R950	R200	

* Complete Enclosure includes: Door, Chassis Plate and Gland Plate

Doors and Gland Plates include a Polyurethane Gasket

Chassis Plate - 2mm AluZinc

Prices exclude VAT

PERANO[®] Standard Wall Mount Enclosures - STAINLESS STEEL 316

Valid from 1 March 2023 to 29 February 2024

Stainless Steel 316 - IP66 - Colour: Orange or Grey (RAL7032)																
Product Code (Orange)	Product Code (Grey)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories							
									Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket
ME3161 O	ME3161 G	350	250	170	6	1.2	1	R2 120	R590	n/a	n/a	R370	R270	R240	R720	R200
ME3162 O	ME3162 G	400	300	220	8	1.2	1	R2 570	R720	R250	R510	R450	R300	R280	R740	R200
ME3163 O	ME3163 G	500	400	220	11	1.2	1	R3 170	R890	R280	R760	R640	R390	R350	R790	R200
ME3164 O	ME3164 G	600	400	220	14	1.2	2	R4 160	R1 170	R450	R850	R640	R480	R460	R790	R200
ME3165 O	ME3165 G	600	500	220	16	1.2	2	R5 010	R1 400	R670	R910	R880	R560	R550	R810	R200
ME3166 O	ME3166 G	700	600	270	26	1.5	2	R7 140	R2 000	R770	R1 100	R1 250	R670	R780	R850	R200
ME3167 O	ME3167 G	800	600	270	29	1.5	2	R8 710	R2 440	R1 400	R1 230	R1 520	R780	R960	R850	R200
ME3168 O	ME3168 G	900	700	320	38	1.5	2	R11 190	R3 140	R1 590	R1 470	R1 960	R910	R1 230	R920	R200
ME3169 O	ME3169 G	1000	800	320	47	1.5	2	R14 860	R4 160	R1 830	R1 700	R2 600	R1 140	R1 640	R950	R200

Stainless Steel 316 - IP66 - Brushed Finish (Natural)																
Product Code (Brushed)	Height (mm)	Width (mm)	Depth (mm)	Approx. Weight (kg)	Material Thickness (mm)	No of Door Locks	Complete Enclosure Price	Optional Accessories								
								Door *	Fit Glass in Door	Inner Door (M/Steel)	Canopy	Chassis Plate *	Gland Plate *	SS Pole Mount Bracket	SS Wall Mount Bracket	
ME3161 B	350	250	170	6	1.2	1	R2 650	R740	n/a	n/a	R460	R270	R290	R720	R200	
ME3162 B	400	300	220	8	1.2	1	R3 210	R900	R250	R510	R570	R300	R350	R740	R200	
ME3163 B	500	400	220	11	1.2	1	R3 940	R1 100	R280	R760	R760	R390	R430	R790	R200	
ME3164 B	600	400	220	14	1.2	2	R4 780	R1 340	R450	R850	R760	R480	R520	R790	R200	
ME3165 B	600	500	220	16	1.2	2	R5 900	R1 650	R670	R910	R1 030	R560	R650	R810	R200	
ME3166 B	700	600	270	26	1.5	2	R7 860	R2 200	R770	R1 100	R1 380	R670	R870	R850	R200	
ME3167 B	800	600	270	29	1.5	2	R10 210	R2 860	R1 400	R1 230	R1 790	R780	R1 120	R850	R200	
ME3168 B	900	700	320	38	1.5	2	R13 620	R3 810	R1 590	R1 470	R2 390	R910	R1 500	R920	R200	
ME3169 B	1000	800	320	47	1.5	2	R16 910	R4 730	R1 830	R1 700	R2 960	R1 140	R1 860	R950	R200	

* Complete Enclosure includes: Door, Chassis Plate and Gland Plate

Doors and Gland Plates include a Polyurethane Gasket

Chassis Plate - 2mm AluZinc

Prices exclude VAT